

# MATERIAL SAFETY DATA SHEET

Page 1 of 1

REVISION DATE: 01/18/2002

SUPERSEDES: 11/12/2001

## SECTION 1: CHEMICAL PRODUCT AND COMPAN IDENTIFICATION

### COMPANY INFORMATION

COLOR CAULK, INC.  
750 McCLURE ROAD  
AURORA, IL 60504

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

### PRODUCT INFORMATION

PRODUCT IDENTIFIER: 72046833117 PRECISION LAMINATE GLUE D3  
PRODUCT NUMBER: 33124  
PRODUCT DESCRIPTION: Water based adhesive

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Unlisted ingredients are not hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for any additional exposure limit guidelines

Chemical Name	CAS #	PERCENT	OSHA PEL
---------------	-------	---------	----------

## SECTION 3: HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

HIMIS RATING: HEALTH -- 0 FLAMMABILITY--0 REACTIVITY --0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

### POTENTIAL HEALTH EFFECTS BY ROUTE OF ENTRY

EYE: No irritation hazard in normal industrial use.

SKIN: No irritation hazard in normal industrial use.

### INHALATION:

No irritation hazard in normal industrial use.

INGESTION: Ingestion is not an anticipated route of exposure.

### LONG-TERM (CHRONIC) HEALTH EFFECTS

TARGET ORGAN(S): No organs known to be damaged from exposure to this product.

### REGULATED CARCINOGEN STATUS:

Unless noted below, this product does not contain regulated levels of NTP, IARC, ACGIH, or OSHA listed carcinogens.

# MATERIAL SAFETY DATA SHEET

Page 2 of 2

EXISTING HEALTH CONDITIONS AFFECTED BY EXPOSURE: No medical conditions affected by exposure.

## SECTION 4: FIRST AID MEASURES

IF IN EYES: None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard,

IF ON SKIN: Wash with soap and water.

IF VAPORS INHALED: This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.

IF SWALLOWED: No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

## SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: Non flammable

AUTOIGNITION TEMPERATURE: Not established

LOWER EXPLOSIVE LIMIT (% in air): Not established

UPPER EXPLOSIVE Limit (% in air): Not established

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: There is a possibility of pressure buildup in closed containers when heated. Water spray maybe used to cool the containers.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide

## SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No adverse health effects expected from the clean up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this MSDS.

CLEAN UP: Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds, or water systems.

Transport Emergency Phone Number (CHEMTREC):

1-800-424-9300

## SECTION 7: HANDLING AND STORAGE

Handling: No special handling instructions due to toxicity.

This product contains limited amounts of residual monomer. Under normal handling and use conditions the residual monomer should not present a hazard. In storage the monomer will migrate from the emulsion and establish equilibrium between the headspace in the storage container and the liquid emulsion. Levels in excess of acceptable exposures can accumulate in non-vented headspaces above the emulsion. All procedures appropriate for a confined space entry should be completed prior to performing any work in a bulk storage tank.

Storage: Store in a cool, dry place.

Consult the Technical Data Sheet for specific storage instructions.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: No special requirements under normal industrial use.

SKIN PROTECTION: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

GLOVES: Not normally required. Use nitrile gloves if conditions warrant.

RESPIRATORY PROTECTION: No respiratory protection required under normal conditions of use. Respirators should be selected by and used following requirements found in OSHA's respirator standard (29 CFR 1910.134).

VENTILATION: No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.

# MATERIAL SAFETY DATA SHEET

Page 3 of 3

## EXPOSURE LIMITS:

Chemical Name

ACGIH EXPOSURE LIMITS

AIHA WEEL

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
COLOR:	White
ODOR:	Neutral
ODOR THRESHOLD:	Not established
WEIGHT PER GALLON (lbs.):	9.1
SPECIFIC GRAVITY:	1.1
SOLIDS (% by weight):	50.0
PH:	3.0
BOILING POINT (deg. C):	Not established
FREEZING/ MELTING POINT (deg. C):	Not established
VAPOR PRESSURE (mm Hg):	Not established
VAPOR DENSITY:	Not established
EVAPORATION RATE:	Not established
OCTANOL/WATER COEFFICIENT:	Not established

## SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable under normal conditions.
CHEMICAL INCOMPATIBILITY:	Not established
HAZARDOUS POLYMERIZATION:	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, carbon dioxide

## SECTION 11: TOXICOLOGICAL INFORMATION

### CHEMICAL NAME

LD50/LC50

TOXICOLOGY SUMMARY: No additional health information available.

## SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

## SECTION 14: TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information.

DOT: NOT REGULATED,,,

## MATERIAL SAFETY DATA SHEET

Page 4 of 4

### SECTION 15: REGULATORY INFORMATION

#### INVENTORY STATUS

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's Inventory requirement.

CANADIAN CEPA DSL: This product is in compliance with the Canadian Domestic Substance List requirements.

EUROPEAN EINECS: This product is in compliance with the European Inventory of Notified and Existing Chemical Substances requirements.

If you need more information about the inventory status of this product call 800-552-6225.

#### TSCA Section 12(b) - Export Notice Requirements

This product contains a chemical substance that is currently on the EPA's Section 12(b) Export List. Contact the company COLOR CAULK, INC. at 800-552-6225 for the identity of the Section 12(b) chemical(s).

#### FEDERAL REPORTING

##### EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 72. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations

<u>Chemical name</u>	<u>CAS#</u>	<u>%</u>
----------------------	-------------	----------

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

### SECTION 16: ADDITIONAL INFORMATION

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

Prepared by: COLOR CAULK, INC. - RICHARD CHRISTIANSEN

Phone: 800-552-6225

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the Color Caulk Company from its suppliers, and because the Company has no control over the conditions of handling and use, the Color Caulk Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the Color Caulk Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of Color Caulk Company products to comply with all applicable federal, state and local laws and regulations.